



Wechat



WhatsApp

兰溪市玛雅五金有限公司
LANXI MAYA HARDWARE CO., LTD

地址 Add : 浙江省兰溪市云山街道凯旋路123号
No.123, kaixuan road, yunshan street, lanxi city.
jinhua city.zhejiang province china

电话 Tel : 0086-579-8886 4586

手机 Mob : 180 0589 5028 / 180 6624 8602

网站 Web : [Http://www.hinges-factory.com](http://www.hinges-factory.com)

E-mail : sales@hinges-factory.com

CHIH OHIHC 聯合創想 國產 蘭門五金 13819770896

VENOR



Intelligent door control hardware

智能门控五金研发、生产制造

多功能液压合页/隐形门锁等门用五金
Multi-function hydraulic hinge
Invisible door locks and other door hardware

荣誉证书 Honorary certificate



ISO9001



CE



RoHS



一种子母合页结构



一种自带门吸子母合页



一种闭门合页的调节装置



一种缓冲合页闭门装置



一种可调节合页芯轴及具有该芯轴的合页



一种三维可调节的隐藏式合页及其装配方法



一种液压合页闭门器



一种液压合页芯轴及具有其的液压合页



一种液压缓冲的闭门合页



一种隐藏式合页




一种隐藏式合页



一种子母合页结构

COMPANY PROFILE

公司简介



Lanxi Maya Hardware Co., Ltd is an industry leader focusing on multi-functional hydraulic closing hinges. Since its inception, we have always adhered to the mission of creating high-quality products and perfect service, and we continue to provide consumers with more fashionable, simple and classical products.

After years of development, we have established a perfect sales and after-sales service system, and are committed to creating a first-class brand in the industry. At present, the company's products have spread to more than thirty provinces, cities, autonomous regions and Hong Kong, Macao and Taiwan. Based on the tenet of frank cooperation and mutual benefit, we sincerely welcome every customer to visit us for negotiation and cooperate with us to establish a good business relationship. At the same time, we continue to develop and innovate, follow the market demand, and strive to expand new business areas in order to achieve the company's sustainable development.

In the market competition, the enterprise with excellent product performance, perfect service system and good brand image, won the trust and support of the majority of customers. We have established long-term and stable cooperative relationships with many well-known enterprises and institutions to jointly promote the development and progress of the industry.

In addition, the company focuses on corporate culture construction and team building, advocating the spirit of openness, innovation, collaboration and win-win enterprise. We have a high-quality, professional staff team, who are the company's most valuable asset and the source of power to drive the company forward.

Looking ahead, the company will continue to adhere to the innovation-driven, quality-oriented development strategy, and constantly improve its core competitiveness and market position. We will continue to plunge into the existing business and actively expand new business areas in an effort to achieve the company's long-term development goals. At the same time, we also look forward to working with more partners to create a better future.

兰溪市玛雅五金有限公司是一家专注于多功能液压闭门合页的行业领先企业。自创立以来，我们始终秉承以打造优质的产品，完美的服务为使命，不断为消费者提供更多时尚、简约、古典的产品。

经过多年的发展，建立了完美的销售和售后服务体系，致力于打造行业一流品牌。目前公司产品已遍及全国三十多个省、市、自治区和港、澳、台地区。本着坦诚合作、互惠互利的宗旨，竭诚欢迎每个客户光临洽谈，并携手合作建立良好的商务关系。同时，我们不断开拓创新，紧跟市场需求，努力拓展新的业务领域，以实现公司的持续发展。


在市场竞争中，企业凭借卓越的产品性能、完善的服务体系和良好的品牌形象，赢得了广大客户的信赖和支持。我们与众多知名企业和机构建立了长期稳定的合作关系，共同推动行业的发展和进步。

此外，企业注重企业文化和团队建设，倡导开放、创新、协作、共赢的企业精神。我们拥有一支高素质、专业化的员工队伍，他们是公司最宝贵的财富，也是推动公司不断前进的动力源泉。

展望未来，企业将继续坚持创新驱动、质量为本的发展战略，不断提升自身的核心竞争力和市场地位。我们将继续深耕现有业务，积极拓展新的业务领域，努力实现公司的长远发展目标。同时，我们也期待与更多合作伙伴携手共进，共同创造更加美好的未来。

目录 Contents

VENOR

6寸液压合页H型 6" Hydraulic Hinge-H type		P.03	6寸阻尼液压合页 WZ6-1 6" Hydraulic Damping Hinge WZ6-1		P.14	三维隐藏可调合页 MY80-2 3D Concealed Adjustable Hinge MY80-2		P.27	锌合金门锁-YS66 Zinc alloy door lock-YS66		P.42
6寸液压合页-C型 6" Hydraulic Hinge-C type		P.04	6寸液压合页 MK6-1 6" Hydraulic Hinge MK6-1		P.15	三维隐藏可调合页 MY100-1 3D Concealed Adjustable Hinge MY100-1		P.28	锌合金门锁-AY57 Zinc alloy door lock-AY57		P.43
6寸液压合页-E型 6" Hydraulic Hinge-E type		P.05	三维隐藏液压合页 MD-1 3D Concealed Hydraulic Hinge MD-1		P.17	不锈钢三维隐藏可调合页 MY100-2-B Stainless Steel 3D Concealed Adjustable Hinge MY100-2-B		P.29	锌合金门锁-T51 Zinc alloy door lock-T51		P.44
6寸偏轴液压合页-F型 6" Hydraulic Offset Axis Hinge-F type		P.06	三维隐藏液压合页 MD-2 3D Concealed Hydraulic Hinge MD-2		P.18	不锈钢三维隐藏可调合页 MY200-2-B Stainless Steel 3D Concealed Adjustable Hinge MY200-2-B		P.30	锌合金门锁-AY61 Zinc alloy door lock-AY61		P.46
5寸平开液压合页 WE5-26-2 5" Hydraulic Casement Hinge WE5-26-2		P.07	三维隐藏可调合页 MY40-1 3D Concealed Adjustable Hinge MY40-1		P.20	平头单开弹簧合页 Single-Action Spring Hinge		P.31	锌合金门锁 A5-530 Zinc alloy door lock A5-530		P.47
5寸平开阻尼液压合页 WE5-26-3 (18.5轴) 5" Casement Hydraulic Damping Hinge WE5-26-3 (18.5 Shaft)		P.08	三维隐藏可调合页 MY40-2 3D Concealed Adjustable Hinge MY40-2		P.21	平头双开弹簧合页 Double-Action Spring Hinge		P.32	锌合金门锁 A3-288 Zinc alloy door lock A3-288		P.47
5寸字母液压合页 WEZ5-26-2 5" Hydraulic Butterfly Hinge WEZ5-26-2		P.09	三维隐藏可调合页 MY40-3 3D Concealed Adjustable Hinge MY40-3		P.22	高头双开弹簧合页 Double-Action Spring Hinge		P.33	锌合金门锁 A3-233 Zinc alloy door lock A3-233		P.48
5寸字母阻尼液压合页 WEZ5-26-3 (18.5轴) 5" Hydraulic Butterfly Damping Hinge WEZ5-26-3 (18.5 Shaft)		P.10	三维隐藏可调合页 MY40D-2 3D Concealed Adjustable Hinge MY40D-2		P.23	90°定位弹簧合页 90° Positioning Spring Hinge		P.35	锌合金门锁 A3-115 Zinc alloy door lock A3-115		P.48
6寸平开液压合页 WE6-26-2 6" Hydraulic Casement Hinge WE6-26-2		P.11	三维隐藏可调合页 MY60-1 3D Concealed Adjustable Hinge MY60-1		P.24	子母弹簧合页 Spring-Butterfly Spring Hinge		P.36	锌合金门锁 A29-533 Zinc alloy door lock A29-533		P.49
5寸平开工程合页 WD5-26-2 5" Heavy-Duty Casement Hinge WD5-26-2		P.12	三维隐藏可调合页 MY60-2 3D Concealed Adjustable Hinge MY60-2		P.25	日式3D可调节平开合页 Japan Style 3D Adjustable Flush Open Hinge		P.38	锌合金门锁 A6-292 Zinc alloy door lock A6-292		P.49
5寸阻尼液压合页 WZ5-1 5" Hydraulic Damping Hinge WZ5-1		P.13	三维隐藏可调合页 MY80-1 3D Concealed Adjustable Hinge MY80-1		P.26	304不锈钢合页 304 Stainless Steel Hinge		P.39			

产品简介与功能说明 Product Introduction and Function Description

1. 本产品集闭门器、合页、门吸、定位器三合一功能，经高强度测试，门扇可开启 30 万次以上。
1. This product integrates the functions of door closer, hinge, door suction and positioner.
After high-strength test, ensure that the door is opening more than 300000 times.
2. 本产品适用于各种木门、塑钢门、铝门等。各门段功能如下：
2. This product is suitable for all kinds of wooden doors, plastic steel doors, aluminum doors and so on.
The function of each door segment is as follows:


① 普通锁型、电子锁型 Common Lock Type, Electronic Lock Type

- 175° - 90° 任意停门段角度 / Free Stop Section
- 85° - 30° 快速闭门段角度 / Fast Closing Section
- 30° - 15° 慢闭门段角度 / Slow Closing Section
- 15° - 0° 加入锁段角度 / Locking Section

② 无锁型 (隐型门) Lock-free type (hidden door)


- 175° - 90° 任意停门段角度 / Free Stop Section
- 85° - 30° 快速闭门段角度 / Fast Closing Section
- 30° - 0° 慢闭门段角度 / Slow Closing Section

3. 关门力度可任意调节。
3. The closing force can be adjusted at will.
4. 具有液压、三速缓冲、吸收冲击功能，防止因大风吹门关门造成的门扇损坏、制造噪音和无意夹伤人等。
4. It has hydraulic, three-speed buffering and shock absorption function to prevent door leaf damage, noise and unintentional pinch caused by high wind blowing door closing.
5. 静音、入锁功能可随时转换，使用更便利。
5. The mute and lock functions can be changed at any time, which is more convenient to use.




各门类定位功能示意图
Schematic diagram of each door segment positioning function

合页的安装 Hinge Installation



开门方向 Door Swinging Direction





判断左开门还是右开门
人站在门外面，面对着门，把门往里推，装左边的门扇为左开门合页，装右边的门扇为右开门合页。
Determine whether to open the door left or right
In simple terms, hinges mounted on which side (right or left) is right to open or left open; the door is inside, is outside the sliding door.

门扇与门框开槽：
页片开槽宽度 35+0.5mm
双边开槽 3mm 深，门缝间隙 2mm
单边开槽 3mm 深，门缝间隙 4-5mm
单边开槽 5-6mm 深，门缝间隙 2mm
不开槽直接安装，门缝间隙 7-8mm

Slotted door and door frames
Slotted hinge width 35+0.5mm
Bilateral slotted 3mm deep, door gap 2mm
Single side slotted 3mm deep, door gap 4-5mm
Single side slotted 5-6mm deep, door gap 2mm
Direct installation without slotting, with a gap of 7-8mm.

特别提示


安装合页时箭头朝上
The arrow with "↑" must be installed upwards.




开门方向示意图 Schematic diagram of door opening direction




6寸液压合页-E型 6" Hydraulic Hinge-E type




产品参数 Product Parameters




材质	铝合金
Material	Aluminum alloy
门重	≤60kg/2片
Door weight	≤60kg/2 pcs
合页尺寸	156*30mm
Hinge size	156*30mm
门宽	≤900mm
Door width	≤900mm




表面处理 Finishes




6寸偏轴液压合页-F型 6" Hydraulic Offset Axis Hinge-F type




产品参数 Product Parameters



材质	铝合金
Material	Aluminum alloy
门重	≤60kg/2片
Door weight	≤60kg/2 pcs
合页尺寸	156*33.5mm
Hinge size	156*33.5mm
门宽	≤900mm
Door width	≤900mm




表面处理 Finishes



5寸平开液压合页 WE5-26-2

5" Hydraulic Casement Hinge WE5-26-2



哑黑
Matte Black



珍珠银
Pearl Silver

5寸平开阻尼液压合页WE5-26-3 (18.5轴)

5" Casement Hydraulic Damping Hinge WE5-26-3 (Φ18.5 Shaft)




哑黑
Matte Black




珍珠银
Pearl Silver

产品参数 Product Parameters




材质	铝合金
Material	Aluminum alloy
门重	≤45kg/2片
Door weight	≤45kg/2 pcs
合页尺寸	138*35mm
Hinge size	138*35mm
门宽	≤900mm
Door width	≤900mm




Schematic diagram of each door segment positioning function


表面处理 Finishes



产品参数 Product Parameters




材质	铝合金
Material	Aluminum alloy
门重	≤45kg/2片
Door weight	≤45kg/2 pcs
合页尺寸	140*30mm
Hinge size	140*30mm
门宽	≤900mm
Door width	≤900mm



Schematic diagram of each door segment positioning function

表面处理 Finishes



5寸子母液压合页 WEZ5-26-2 5" Hydraulic Butterfly Hinge WEZ5-26-2




哑黑
Matte Black




珍珠银
Pearl Silver

产品参数 Product Parameters




材质	铝合金
Material	Aluminum alloy
门重	≤45kg/2片
Door weight	≤45kg/2 pcs
合页尺寸	138*35mm
Hinge size	138*35mm
门宽	≤900mm
Door width	≤900mm



Schematic diagram of each door segment positioning function

表面处理 Finishes



5寸子母阻尼液压合页WEZ5-26-3 (18.5轴) 5" Hydraulic Butterfly Damping Hinge WEZ5-26-3 (Φ18.5 Shaft)




哑黑
Matte Black




珍珠银
Pearl Silver

产品参数 Product Parameters




材质	铝合金
Material	Aluminum alloy
门重	≤45kg/2片
Door weight	≤45kg/2 pcs
合页尺寸	140*35mm
Hinge size	140*35mm
门宽	≤900mm
Door width	≤900mm




Schematic diagram of each door segment positioning function

表面处理 Finishes



6寸平开液压合页 WE6-26-2 6" Hydraulic Casement Hinge WE6-26-2



哑黑
Matte Black



珍珠银
Pearl Silver

5寸平开工程合页 WD5-26-2 5" Heavy-Duty Casement Hinge WD5-26-2




哑黑
Matte Black




珍珠银
Pearl Silver

产品参数 Product Parameters



材质	铝合金
Material	Aluminum alloy
门重	≤55kg/2片
Door weight	≤55kg/2 pcs
合页尺寸	152*33.5mm
Hinge size	152*33.5mm
门宽	≤900mm
Door width	≤900mm




Schematic diagram of each door segment positioning function


表面处理 Finishes



产品参数 Product Parameters




材质	铝合金
Material	Aluminum alloy
门重	≤35kg/2片
Door weight	≤35kg/2 pcs
合页尺寸	132*33.5mm
Hinge size	132*33.5mm
门宽	≤900mm
Door width	≤900mm



Schematic diagram of each door segment positioning function

表面处理 Finishes



5寸阻尼液压合页 WZ5-1 5" Hydraulic Damping Hinge WZ5-1




哑黑
Matte Black



珍珠银
Pearl Silver

6寸阻尼液压合页 WZ6-1 6" Hydraulic Damping Hinge WZ6-1




哑黑
Matte Black




珍珠银
Pearl Silver

产品参数 Product Parameters



材质	铝合金
Material	Aluminum alloy
门重	≤40kg/2片
Door weight	≤40kg/2 pcs
合页尺寸	134*33.5mm
Hinge size	134*33.5mm
门宽	≤900mm
Door width	≤900mm




Schematic diagram of each door segment positioning function


表面处理 Finishes



产品参数 Product Parameters




材质	铝合金
Material	Aluminum alloy
门重	≤50kg/2片
Door weight	≤50kg/2 pcs
合页尺寸	156*33.5mm
Hinge size	156*33.5mm
门宽	≤900mm
Door width	≤900mm




Schematic diagram of each door segment positioning function

表面处理 Finishes



6寸液压合页 MK6-1

6" Hydraulic Hinge MK6-1




哑黑
Matte Black




珍珠银
Pearl Silver

产品参数 Product Parameters




材质	铝合金
Material	Aluminum alloy
门重	≤60kg/2片
Door weight	≤60kg/2 pcs
合页尺寸	157*33.5mm
Hinge size	157*33.5mm
门宽	≤900mm
Door width	≤900mm



Schematic diagram of each door segment positioning function

表面处理 Finishes




① 普通锁型、电子锁型 Common Lock Type, Electronic Lock Type

175° - 90° 任意停门段角度 / Free Stop Section
85° - 30° 快速闭门段角度 / Fast Closing Section
30° - 15° 慢闭门段角度 / Slow Closing Section
15° - 0° 加入锁段角度 / Locking Section

② 无锁型 (隐型门) Lock-free type (hidden door)

175° - 90° 任意停门段角度 / Free Stop Section
85° - 30° 快速闭门段角度 / Fast Closing Section
30° - 0° 慢闭门段角度 / Slow Closing Section



各门类定位功能示意图
Schematic diagram of each door segment positioning function

MD-1和MD-2关门示意图 MD-1 and MD-2 Door Closing Diagrams


安装步骤 Installation steps



1. 标记安装铰链
需要打孔的位置
Mark install position



2. 使用工具打孔
Slot with tools



3. 螺丝固定门栓上
铰链的位置
Install screws to
the door leaf



4. 抬起门扇将铰座插入
门侧板的孔内进行固
定和调整完成安装
Lift the door to frame
hole & install screws

三维隐藏液压合页 MD-1

3D Concealed Hydraulic Hinge MD-1




液压合页 Hydraulic hinge



承重合页 Load Bearing Hinge

产品参数 Product Parameters



适用门类: 隐形门、折叠门、平开门 (大部分木门)

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)

表面处理 Finishes



材质	锌合金
Material	Zinc alloy
门重	60kg/2个
Door weight	60kg/2 pcs
合页尺寸	177*28mm
Hinge size	177*28mm
门厚	≥35mm
Door thickness	≥35mm
门宽	≤1000mm
Door width	≤1000mm
前后调节	±1mm
Front/Rear adjustment	±1mm
上下调节	±2mm
Up/Down adjustment	±2mm
左右调节	±2mm
Left/Right adjustment	±2mm

三维隐藏液压合页 MD-2

3D Concealed Hydraulic Hinge MD-2




液压合页 Hydraulic hinge



承重合页 Load Bearing Hinge

产品参数 Product Parameters



适用门类: 隐形门、折叠门、平开门 (大部分木门)

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)

表面处理 Finishes



材质	锌合金
Material	Zinc alloy
门重	80kg/2个
Door weight	80kg/2 pcs
合页尺寸	194*30mm
Hinge size	194*30mm
门厚	≥38mm
Door thickness	≥38mm
门宽	≤1000mm
Door width	≤1000mm
前后调节	±1mm
Front/Rear adjustment	±1mm
上下调节	±2mm
Up/Down adjustment	±2mm
左右调节	±2mm
Left/Right adjustment	±2mm

三维隐藏可调合页 MY40-1
3D Concealed Adjustable Hinge MY40-1




哑黑
Matte Black



珍珠银
Pearl Silver

产品参数 Product Parameters



适用门类：隐形门、折叠门、平开门（大部分木门）

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)

材质	锌合金
Material	Zinc alloy
门重	40kg/2个
Door weight	40kg/2 pcs
合页尺寸	150*25mm
Hinge size	150*25mm
门厚	≥32mm
Door thickness	≥32mm
门宽	≤1000mm
Door width	≤1000mm
前后调节	±1mm
Front/Rear adjustment	±1mm
上下调节	±2mm
Up/Down adjustment	±2mm
左右调节	±2mm
Left/Right adjustment	±2mm

表面处理
Finishes



哑黑
Matte Black



灰色
Gray



珍珠银
Pearl Silver



金色
Gold



青古铜
Antique Bronze



红古铜
Antique Copper



黄古铜
Antique Brass

三维隐藏可调合页 MY40-2


3D Concealed Adjustable Hinge MY40-2



哑黑
Matte Black

珍珠银
Pearl Silver

产品参数 Product Parameters



适用门类：隐形门、折叠门、平开门（大部分木门）

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)

表面处理 Finishes



材质	锌合金
Material	Zinc alloy
门重	40kg/2个
Door weight	40kg/2 pcs
合页尺寸	110*30mm
Hinge size	110*30mm
门厚	≥38mm
Door thickness	≥38mm
门宽	≤1000mm
Door width	≤1000mm
前后调节	±1mm
Front/Rear adjustment	±1mm
上下调节	±2mm
Up/Down adjustment	±2mm
左右调节	±2mm
Left/Right adjustment	±2mm

三维隐藏可调合页 MY40-3


3D Concealed Adjustable Hinge MY40-3



哑黑
Matte Black

珍珠银
Pearl Silver

产品参数 Product Parameters



适用门类：隐形门、折叠门、平开门（大部分木门）

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)


表面处理 Finishes



材质	锌合金
Material	Zinc alloy
门重	40kg/2个
Door weight	40kg/2 pcs
合页尺寸	115*23mm
Hinge size	115*23mm
门厚	≥30mm
Door thickness	≥30mm
门宽	≤1000mm
Door width	≤1000mm
前后调节	±1mm
Front/Rear adjustment	±1mm
上下调节	±2mm
Up/Down adjustment	±2mm
左右调节	±2mm
Left/Right adjustment	±2mm

三维隐藏可调合页 MY40D-2


3D Concealed Adjustable Hinge MY40D-2



哑黑
Matte Black

珍珠银
Pearl Silver

产品参数 Product Parameters



适用门类：隐形门、折叠门、平开门（大部分木门）

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)


表面处理 Finishes



材质	锌合金
Material	Zinc alloy
门重	40kg/2个
Door weight	40kg/2 pcs
合页尺寸	150*28mm
Hinge size	150*28mm
门厚	≥35mm
Door thickness	≥35mm
门宽	≤1000mm
Door width	≤1000mm
前后调节	±1mm
Front/Rear adjustment	±1mm
上下调节	±2mm
Up/Down adjustment	±2mm
左右调节	±2mm
Left/Right adjustment	±2mm

三维隐藏可调合页 MY60-1


3D Concealed Adjustable Hinge MY60-1



哑黑
Matte Black

珍珠银
Pearl Silver

产品参数 Product Parameters



适用门类：隐形门、折叠门、平开门（大部分木门）

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)

表面处理 Finishes



材质	锌合金
Material	Zinc alloy
门重	60kg/2个
Door weight	60kg/2 pcs
合页尺寸	140*30mm
Hinge size	140*30mm
门厚	≥38mm
Door thickness	≥38mm
门宽	≤1000mm
Door width	≤1000mm
前后调节	±1mm
Front/Rear adjustment	±1mm
上下调节	±2mm
Up/Down adjustment	±2mm
左右调节	±2mm
Left/Right adjustment	±2mm

三维隐藏可调合页 MY60-2

3D Concealed Adjustable Hinge MY60-2




哑黑
Matte Black

珍珠银
Pearl Silver

金色
Gold

产品参数 Product Parameters



适用门类：隐形门、折叠门、平开门（大部分木门）

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)


表面处理 Finishes



材质	锌合金
Material	Zinc alloy
门重	60kg/2个
Door weight	60kg/2 pcs
合页尺寸	109*30mm
Hinge size	109*30mm
门厚	≥38mm
Door thickness	≥38mm
门宽	≤1000mm
Door width	≤1000mm
前后调节	±1mm
Front/Rear adjustment	±1mm
上下调节	±2mm
Up/Down adjustment	±2mm
左右调节	±2mm
Left/Right adjustment	±2mm

三维隐藏可调合页 MY80-1


3D Concealed Adjustable Hinge MY80-1



哑黑
Matte Black

珍珠银
Pearl Silver

产品参数 Product Parameters



适用门类：隐形门、折叠门、平开门（大部分木门）

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)


材质	锌合金
Material	Zinc alloy
门重	80kg/2个
Door weight	80kg/2 pcs
合页尺寸	177*28mm
Hinge size	177*28mm
门厚	≥35mm
Door thickness	≥35mm
门宽	≤1000mm
Door width	≤1000mm
前后调节	±1mm
Front/Rear adjustment	±1mm
上下调节	±2mm
Up/Down adjustment	±2mm
左右调节	±2mm
Left/Right adjustment	±2mm

表面处理 Finishes




不锈钢三维隐藏可调合页 MY100-2-B

Stainless Steel 3D Concealed Adjustable Hinge MY100-2-B



珍珠银
Pearl Silver

产品参数 Product Parameters



适用门类: 隐形门、折叠门、平开门 (大部分木门)

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)


材质	不锈钢
Material	Stainless steel
门重	100kg/2个
Door weight	100kg/2 pcs
合页尺寸	160*29mm
Hinge size	160*29mm
门厚	≥38mm
Door thickness	≥38mm
门宽	≤1000mm
Door width	≤1000mm
前后调节	±1mm
Front/Rear adjustment	±1mm
上下调节	±2mm
Up/Down adjustment	±2mm
左右调节	±2mm
Left/Right adjustment	±2mm

表面处理 Finishes




不锈钢三维隐藏可调合页 MY200-2-B

Stainless Steel 3D Concealed Adjustable Hinge MY200-2-B



珍珠银
Pearl Silver

产品参数 Product Parameters



适用门类: 隐形门、折叠门、平开门 (大部分木门)

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)

材质	不锈钢
Material	Stainless steel
门重	200kg/2个
Door weight	200kg/2 pcs
合页尺寸	240*32mm
Hinge size	240*32mm
门厚	≥42mm
Door thickness	≥42mm
门宽	≤1000mm
Door width	≤1000mm
前后调节	±1mm
Front/Rear adjustment	±1mm
上下调节	±2mm
Up/Down adjustment	±2mm
左右调节	±2mm
Left/Right adjustment	±2mm

表面处理 Finishes





镍拉丝
Brushed Nickel



拉丝灰
Brushed Gray



哑黑
Matte Black



拉丝灰
Brushed Gray



哑黑
Matte Black




- 回门区：门会自动关闭，直至上锁关门。(闭门器作用)
Reentry Area: The door will close automatically until it is locked and closed. (Door closer function)
- 定位区：回门力量被定位珠截住使门停留。(起门吸作用)
Positional Area: The return force is intercepted by the positioning bead to make the door stay. (Acts as a door suction)



- 回门区：门会自动关闭，直至上锁关门。(闭门器作用)
Reentry Area: The door will close automatically until it is locked and closed. (Door closer function)
- 定位区：回门力量被定位珠截住使门停留。(起门吸作用)
Positional Area: The return force is intercepted by the positioning bead to make the door stay. (Acts as a door suction)

产品参数 Product Parameters

4寸平头单开弹簧合页 MT4-1 4" Single-Action Spring Hinge MT4-1




材质 不锈钢
Material Stainless steel

门重 ≤30kg/2片
Door weight ≤30kg/2 pcs

合页尺寸 100*32mm
Hinge size 100*32mm

门宽 ≤900mm
Door width ≤900mm

5寸平头单开弹簧合页 MT5-1 5" Single-Action Spring Hinge MT5-1



材质 不锈钢
Material Stainless steel


门重 ≤40kg/2片
Door weight ≤40kg/2 pcs

合页尺寸 125*32mm
Hinge size 125*32mm

门宽 ≤900mm
Door width ≤900mm

产品参数 Product Parameters

4寸平头双开弹簧合页 MT4-1-S 4" Double-Action Spring Hinge MT4-1-S




材质 不锈钢
Material Stainless steel

门重 ≤30kg/2片
Door weight ≤30kg/2 pcs

合页尺寸 100*32mm
Hinge size 100*32mm

门宽 ≤900mm
Door width ≤900mm

5寸平头双开弹簧合页 MT5-1-S 5" Double-Action Spring Hinge MT5-1-S



材质 不锈钢
Material Stainless steel

门重 ≤40kg/2片
Door weight ≤40kg/2 pcs

合页尺寸 125*40.5mm
Hinge size 125*40.5mm

门宽 ≤900mm
Door width ≤900mm

表面处理 Finishes




表面处理 Finishes





镍拉丝
Brushed Nickel



金色
Gold




拉丝灰
Brushed Gray



哑黑
Matte Black

产品参数 Product Parameters

3寸高头双开弹簧合页 MT3-2-S
3" Double-Action Spring Hinge MT3-2-S




材质 不锈钢
Material Stainless steel

门重 ≤10kg/2片
Door weight ≤10kg/2 pcs

合页尺寸 76.7*39.5mm
Hinge size 76.7*39.5mm

门宽 ≤900mm
Door width ≤900mm

4寸高头双开弹簧合页 MT4-2-S
4" Double-Action Spring Hinge MT4-2-S




材质 不锈钢
Material Stainless steel

门重 ≤15kg/2片
Door weight ≤15kg/2 pcs

合页尺寸 102.1*39.5mm
Hinge size 102.1*39.5mm

门宽 ≤900mm
Door width ≤900mm

5寸高头双开弹簧合页 MT5-2-S
5" Double-Action Spring Hinge MT5-2-S




材质 不锈钢
Material Stainless steel

门重 ≤20kg/2片
Door weight ≤20kg/2 pcs

合页尺寸 125.6*45mm
Hinge size 125.6*45mm

门宽 ≤900mm
Door width ≤900mm

6寸高头双开弹簧合页 MT6-2-S
6" Double-Action Spring Hinge MT6-2-S



材质 不锈钢
Material Stainless steel

门重 ≤25kg/2片
Door weight ≤25kg/2 pcs

合页尺寸 152*45mm
Hinge size 152*45mm

门宽 ≤900mm
Door width ≤900mm

表面处理
Finishes



表面处理
Finishes






镍拉丝
Brushed Nickel



拉丝灰
Brushed Gray



哑黑
Matte Black



镍拉丝
Brushed Nickel



拉丝灰
Brushed Gray



哑黑
Matte Black




- 回门区：门会自动关闭，直至上锁关门。(闭门器作用)
Reentry Area: The door will close automatically until it is locked and closed. (Door closer function)
- 定位区：回门力量被定位珠截住使门停留。(起门吸作用)
Positional Area: The return force is intercepted by the positioning bead to make the door stay. (Acts as a door suction)



- 回门区：门会自动关闭，直至上锁关门。(闭门器作用)
Reentry Area: The door will close automatically until it is locked and closed. (Door closer function)
- 定位区：回门力量被定位珠截住使门停留。(起门吸作用)
Positional Area: The return force is intercepted by the positioning bead to make the door stay. (Acts as a door suction)

产品参数 Product Parameters

4寸90°定位弹簧合页 MT4-2 4" 90° Positioning Spring Hinge MT4-2




材质 不锈钢
Material Stainless steel

门重 ≤30kg/2片
Door weight ≤30kg/2 pcs

合页尺寸 100*32mm
Hinge size 100*32mm

门宽 ≤900mm
Door width ≤900mm

5寸90°定位弹簧合页 MT5-2 5" 90° Positioning Spring Hinge MT5-2



材质 不锈钢
Material Stainless steel


门重 ≤40kg/2片
Door weight ≤40kg/2 pcs

合页尺寸 125*32mm
Hinge size 125*32mm

门宽 ≤900mm
Door width ≤900mm

产品参数 Product Parameters

4寸子弹簧合页 MTZ4-1 4" Spring-Butterfly Spring Hinge MTZ4-1




材质 不锈钢
Material Stainless steel

门重 ≤30kg/2片
Door weight ≤30kg/2 pcs

合页尺寸 100*34mm
Hinge size 100*34mm

门宽 ≤900mm
Door width ≤900mm

5寸子弹簧合页 MTZ5-1 5" Spring-Butterfly Spring Hinge MTZ5-1



材质 不锈钢
Material Stainless steel

门重 ≤40kg/2片
Door weight ≤40kg/2 pcs

合页尺寸 125*35mm
Hinge size 125*35mm

门宽 ≤900mm
Door width ≤900mm

表面处理 Finishes




表面处理 Finishes



日式3D可调节平开合页 MR4-1
Japan Style 3D Adjustable Flush Open Hinge MR4-1



产品参数 Product Parameters



材质 铝合金
Material Aluminum alloy


ITEM / 番号ばんごう	DIMENSION / 寸法すんぼうmm
A	102
B	102
C	54
D	44
E	18
F	81

304不锈钢合页 4.5*4.5*3 304 Stainless Steel Hinge 4.5*4.5*3



镍拉丝
Nickel Drawing

产品参数 Product Parameters



材质	不锈钢
Material	Stainless steel
门重	≤80kg/2片
Door weight	≤80kg/2 pcs
合页尺寸	114.5*49mm
Hinge size	114.5*49mm
门宽	≤900mm
Door width	≤900mm

表面处理 Finishes



哑黑
Matte Black



珍珠银
Pearl Silver



拉丝灰
Brushed Gray



拉丝金
Brushed Gold



瓷白色
Porcelain White




青古铜
Antique Bronze



红古铜
Antique Copper



黄古铜
Antique Brass




单面/带钥匙 锌合金门锁-YS66
Single face/keyed Zinc alloy door lock-YS66

外开配件/钥匙
Outward Opening Accessory



锁体
Lock body



青古铜
Antique Bronze



镍拉丝
Brushed Nickel



铜拉丝
Brushed Copper



哑黑
Matte Black



材质 锌合金
Material Zinc Alloy

适用范围 木质门/金属门
Application Wooden doors metal doors

表面处理
Finishes



哑黑
Matte Black



灰色
Gray



珍珠银
Pearl Silver



金色
Gold



镍拉丝
Brushed Nickel



铜拉丝
Brushed Copper



青古铜
Antique Bronze



红古铜
Antique Copper




黄古铜
Antique Brass

外开配件/钥匙
Outward Opening Accessory



锁体
Lock body



锌合金门锁-AY57
Zinc alloy door lock-AY57



艺术白



艺术黑



黑镍拉丝

材质	锌合金
Material	Zinc Alloy
适用范围	木质门/金属门
Application	Wooden doors metal doors


表面处理
Finishes



外开配件/钥匙
Outward Opening Accessory



锁体
Lock body



锌合金门锁-T51
Zinc alloy door lock-T51



艺术白



哑光铬拉丝



罗马金拉丝



哑镍单色



黑镍拉丝




艺术黑

材质	锌合金
Material	Zinc Alloy
适用范围	木质门/金属门
Application	Wooden doors metal doors


表面处理
Finishes



单面/带钥匙 锌合金门锁-AY61 Single face/keyed Zinc alloy door lock-AY61



We are perfectionists and we care about details. We always want our products to match perfectly. All components are included - even the head of the mounting screws.



材质	锌合金
Material	Zinc Alloy
适用范围	木质门/金属门
Application	Wooden doors metal doors


表面处理 Finishes



外开配件/钥匙
Outward Opening Accessory



锁体
Lock body



锌合金门锁 A5-530
Zinc alloy door lock A5-530



黑镍拉丝



艺术黑



罗马金拉丝



哑光铬拉丝

锌合金门锁 A3-288
Zinc alloy door lock A3-288



黑镍拉丝



艺术黑



罗马金拉丝

材质	锌合金
Material	Zinc Alloy
适用范围	木质门/金属门
Application	Wooden doors metal doors


表面处理
Finishes



外开配件/钥匙
Outward Opening Accessory



锁体
Lock body



锌合金门锁 A3-233
Zinc alloy door lock A3-233



黄铜乱纹拉丝



哑光铬拉丝



古金乱纹拉丝

锌合金门锁 A3-115
Zinc alloy door lock A3-115



黑镍拉丝



艺术黑



卡其米

材质	锌合金
Material	Zinc Alloy
适用范围	木质门/金属门
Application	Wooden doors metal doors


表面处理
Finishes



外开配件/钥匙
Outward Opening Accessory



锁体
Lock body



锌合金门锁 A29-533
Zinc alloy door lock A29-533



哑镍单色



真金



黑钢单色

锌合金门锁 A6-292
Zinc alloy door lock A6-292



黑镍拉丝



艺术黑



铜咖啡拉丝



罗马金拉丝

材质	锌合金
Material	Zinc Alloy
适用范围	木质门/金属门
Application	Wooden doors metal doors

表面处理
Finishes

